

IS : 277



An ISO-9001 Company



STAR SUPER SHAKTI

Galvanised
Plain / Corrugated Sheet



A PRODUCT OF






PROTECTION UNLIMITED


5 STAR Super Shakti sheets provide unlimited protection at an affordable price. We strive to satisfy our customers by providing them quality protection to their home and family.

PROTECTION FOR ALL SEASONS

All 5 STAR sheets are subject to stringent quality tests. Homogeneous zinc coating and superior quality of the raw material provides extra strength to sustain all types of weather. This in turn provides total protection to the houses, year after year.



5 STAR VALUE FOR YOUR MONEY



120 grams zinc coating provides extra protection from corrosion

Full hard CR as base material provides extra strength

Computer printing on every sheet prevents duplication

5 STAR sheets are available as per customer requirements

* In case of exports, customer specific logos can also be designed and printed

SPECIFICATIONS AS PER IS : 277

Size Range of GC Sheets		
Thickness (mm)	:	0.14 - 0.45
Width (mm)	:	720, 740, 800, 840 880, 900
Product Range	Length 6'	: 1830
	7'	: 2135
	8'	: 2440
	9'	: 2745
	10'	: 3050
	12'	: 3660


APPLICATION AREAS



Roofing & Walling




Windows




Doors & Gates


WHAT FIXING ACCESSORIES TO USE




G.I. Hook Bolt



G.I. Crank Hook Bolt



G.I. Seam Bolt




G.I. Crank Bolt



G.I. Coach Screw Square Head


HOW TO FIX 5 STAR ROOFING SHEETS



Keep overlap margin to prevent water seepage.




The correct way to fix 'J' hooks



Fix nut using rubber washers only

5 STAR GP SHEETS-WIDE APPLICATIONS



5 STAR GP / GC SHEETS STORING AND TRANSPORTATION

- Protect from water / moisture.
- Use wooden sleepers to store sheets.
- Always put 5 STAR GP / GC sheets at an incline.
- Avoid direct contact with cement, lime or earth.
- When transporting sheets, cover with waterproof plastic or tarpaulin to keep dry.
- Dry sheets promptly when wet.



8/1, Lalbazar Street, Bikaner Building (3rd Floor), Kolkata 700 001
Phone : 91 33 2231 0050/2243 5054
Fax : 91 33 2230 0336/2242 8470